

Save as PDF




EJSCREEN Report (Version 2017)
1 mile Ring Centered at 31.846550,-106.628090
NEW MEXICO, EPA Region 6
Approximate Population: 3,096
Input Area (sq. miles): 3.14
 Sterigenics Santa Teresa NM




Selected Variables	Percentile in State	Percentile in EPA Region	Percentile in USA
EJ Indexes			
EJ Index for Particulate Matter (PM 2.5)	92	84	90
EJ Index for Ozone	93	95	98
EJ Index for NATA* Diesel PM	60	57	68
EJ Index for NATA* Air Toxics Cancer Risk	96	93	95
EJ Index for NATA* Respiratory Hazard Index	82	76	82
EJ Index for Traffic Proximity and Volume	54	62	72
EJ Index for Lead Paint Indicator	17	32	51
EJ Index for Superfund Proximity	64	74	78
EJ Index for RMP Proximity	99	92	95
EJ Index for Hazardous Waste Proximity	69	72	78
EJ Index for Wastewater Discharge Indicator	64	71	81

EJ Index for the Selected Area Compared to All People's Blockgroups in the State/Region/US



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.



*The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.

